



AMRA STANDARD

AMRA-201:2021(en)

Edition: 2
2021-11-01

Mobile Robots -
General Requirements and Test Methods

(P.1 ~ P.6 preview with watermark)

NOTICE

This document is copyright protected.
© AMRA Autonomous Mobile Robot Alliance 2021

All rights reserved. Inquiries and comments relative to the contents of this document should be addressed to AMRA. Without prior written permission, no part of this document may be reproduced or utilized in any form, including posting on the internet or an intranet. AMRA retains the copyright on the material. By downloading this file, the individual agrees not to charge for or resell the resulting material. AMRA standards are adopted without regard to whether or not their adoption may involve patents or articles, materials, or processes. By such action, AMRA does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the AMRA standard.

For more information, contact:
Autonomous Mobile Robot Alliance (AMRA)
contact@amr-alliance.org
<https://www.amr-alliance.org/>

For standard improvement, please submit comments to:
<https://forms.gle/EpohBZ8FFAHZt5918>



Introduction

Mobile robots play the role of moving goods or products in various fields, for example, smart factories, warehouses and restaurants. AGV and AMR are the most popular mobile robot products in applications. To shape a better ecosystem, AMRA develops industrial standards for the critical topics about mobile robot products.

AMRA-201 provides guidance for mobile robot products regarding their general requirements and test methods, and one of its purposes is to eliminate misunderstandings between manufacturers and users. Manufacturers can adopt it as the baseline of product specification. Users can evaluate the mobile robot products according to the same conditions.

In AMRA, this standard is formed by the experts in working group #1 (WG1), reviewed by the technical committee and approved by the board. The participants in the following list, sorted alphabetically, make great contributions to this standard.

Board

Approved AMRA-201:2021(en)-Ed2 on 2021/10/22

ADLINK Technology Inc.	NexAIOT Co.,Ltd.
AU Optronics Corp.	Pepperl+Fuchs Taiwan Ltd.
Axiomtek Co., Ltd.	PrefactorTech
BITO Robotics Co. Ltd.	Quanergy Systems Inc.
CASTEC International Corp.	Suffice Industrial Technology Limited
Center for Intelligent Manufacturing, TKU	TECHWAY INDUSTRY CO.,LTD
Coretronic Robotics	TM Technology, Inc.
Delta Electronics, Inc.	Toyo Automation Co., Ltd.
DFI	UL Taiwan Co., Ltd.
Epson Taiwan Technology & Trading Ltd.	Uni-Innovate Technology
FARobot, Inc.	Uniring Tech Co. Ltd.
Industrial Technology Research Institute [Chair]	Wistron Corporation
Kaneka Taiwan Co., Ltd	

Technical Committee

Reviewed AMRA-201:2021(en) on 2021/04/08

ADLINK Technology Inc.	Center for Intelligent Manufacturing, TKU	Pepperl+Fuchs Taiwan Ltd.
BITO Robotics Co. Ltd.	Coretronic Robotics	TM Technology, Inc.
CASTEC International Corp.	Delta Electronics, Inc.	Toyo Automation Co., Ltd.
	Industrial Technology Research Institute [Chair]	Wistron Corporation

Working Group #1 Experts

Formed the draft of AMRA-201:2021(en)

Alicia Huang	KC Chang	Ryan Lin	Tanya Ye
Cheng Chia Loon	Nelson Chang	Shuyi Lin	Terry Lin
Jennifer Chang [Chair]	Ray Yeh	Skyler Pan	YiHong Chen
Jim Huang	Robin Lin	Syuan Liao	Yongjun Wee
Justin Tuen	Roy Xu		YuCheng Lai

Contents

1. Scope	7
2. Normative references	7
3. Terms and Definitions	7
3.1 autonomous mobile robot (AMR)	7
3.2 automated guided vehicle (AGV)	7
3.3 collision stop (CS)	7
3.4 obstacle avoidance (OA)	7
3.5 carried load	7
3.6 drag load	8
3.7 fork load	8
3.8 manipulator load	8
3.9 manipulator reach	8
3.10 transit	8
3.11 pose accuracy	8
3.12 docking repeatability	8
3.13 repeatability	8
3.14 absolute error	8
3.15 navigation speed	9
3.16 collision stop maximum speed	9
3.17 obstacle avoidance average speed	9
3.18 slope	9
3.19 maximum slope climbing ability	9
3.20 empty enclosure	9
4. Characteristics	10
5. General Requirements	12
5.1 Environmental Conditions	12
5.1.1 Ambient Temperature	12
5.1.2 Ambient Humidity	12
5.1.3 Illumination (Applied to AMR only)	12
5.1.4 Workspace (Applied to charging station only)	12
5.2 Weight and Dimension	13
5.3 Drive Configuration Type	13
5.4 Emergency Stop	13
5.5 Controller Type	13
5.6 External Communication Interface	13
5.7 Power Supply	14
5.7.1 Battery	14

5.7.2 Charging Interface	14
5.8 Rated Load	15
5.9 Manipulator Reach (Applied to mobile robot with manipulator only)	16
5.10 Rated Speed	16
5.11 Maximum Climbing Ability	16
5.12 Navigation	16
5.12.1 Navigation Speed	16
5.12.2 Pose Accuracy	16
5.12.3 Collision Stop (CS) and Obstacle Avoidance (OA)	17
5.13 Long-term Stability	17
5.14 Particle	17
5.15 Vibration	17
5.16 IP Code	17
6. Test Methods	18
6.1 Environmental Conditions	18
6.2 Scenarios	18
6.3 Battery	23
6.3.1 Battery Running Time Test	23
6.3.2 Battery Charging Time Test	23
6.4 Rated Load Test	24
6.5 Manipulator Reach Test	25
6.6 Rated Speed Test	26
6.7 Maximum Climbing Ability Test	26
6.8 Navigation	28
6.8.1 Navigation Speed Test	28
6.8.2 Pose Accuracy	29
6.8.2.1 Docking Repeatability Test	29
6.8.2.2 Repeatability test	30
6.8.2.3 Absolute Error Test	31
6.8.3 Collision Stop (CS) and Obstacle Avoidance (OA)	33
6.8.3.1 Obstacle Type	33
6.8.3.2 Collision Stop (CS) Test	35
6.8.3.3 Obstacle Avoidance (OA) Test	36
6.9 Particle Test	39
6.10 Vibration Test	39
6.11 IP Code Test (Only apply to charging stations)	40
Annex A. (Informative) Changes between versions	41
Annex B. (Informative) Recommended pose measurement approaches	42

Tables

Table 1. Characteristics to be specified for mobile robots and charging stations	10
Table 2. Types of loads	15
Table 3. Summary of scenarios	18
Table 4. Table for the result of battery running time test	23
Table 5. Table for the result of battery charging time test	24
Table 6. Table for the result of rated load test	25
Table 7. Table for the result of manipulator reach test	25
Table 8. Table for the result of rated speed test	26
Table 9. Table for the result of maximum climbing ability test	27
Table 10. Table for the result of navigation speed test	28
Table 11. Table for the result of docking repeatability test	30
Table 12. Table for the result of repeatability test	31
Table 13. Table for the result of absolute error test	33
Table 14. Types of obstacles	34
Table 15. Relationship of the combinations of obstacle detection capability class and different obstacle type	34
Table 16. Table for the result of collision stop tests	35
Table 17. Relationship of collision stop capability levels and tests of different scenario combinations	36
Table 18. Table for the result of obstacle avoidance test	38
Table 19. Relationship of obstacle avoidance capability levels and tests of different scenario combinations	38
Table 20. Table for the result of particle test	39
Table 21. Table for the result of vibration test	40